
This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

		revisions			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
5		AS DRAWN BY CANAM.	7/18/2013	CF\$	
6	14-0206	CH'D TITLEBLOCK WAS RED BARN IS DART, <b>20NR-04-1</b> ADDED ENGRAVE BATCH # NOTE, ADDED <b>20NR-04-3</b> SPACER, 2X <b>32446</b> CONNECTORS. ADDED MIN LENGTH NOTE,	11/3/2014	DPD	JAG



NOTE:

CENTER 20NR-03 IN SHAFT OF SOLENOID.

USED ON 20NR

2 CONNECTORS SUPPLIED LOOSE.

8NR

DART

SOLENOID ASSEMBLY

DWG NO.

TITLE

20NR-04

REV 6

									MAT'L	DRAWN BY:
ASSY	ASSY	B/O	Part #	UNIT	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED
QTY	QTY	В/О	FQII#	QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	rG.	.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT FINISH
		B/O	20NR-03	1	SOLENOID PIN	S.S.	Ø1/8 X 5/8 MCMASTER-CARR #92383A695	1	¥ + 1	
		210	00110.011	-	00151015			_	1. BREAK ALL SHARP EDGES .015 x 45°	SPEC
		B/O	20NR-04-1	I	SOLENOID		H-1127-020 (MODIFIED)	2	OR .015R - 2. DIMENSIONAL LIMITS APPLY AFTER	US
			20NR-04-3	1	SPACER	PETG	Ø2-5/8 X .020	3	PLATING	
		B/O	32446	2	22-16 AWG KNIFE CONNECTOR		ALLIED ELECTRONICS 32446	1	SCALE 1:2 DATE 12	2/1/1998

HEAT TREAT FINISH

SPEC


USED ON MODEL

98 SHEET 1 OF 3

CANAM

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
6	14-0206	20NR-04-1 ADDED ENGRAVE BATCH # NOTE.	11/3/2014	DPD	JAG



TITLE SOLENOID DWG NO. REV 20NR-04-1 6 MAT'L DRAWN BY: CANAM UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES
.XXX ± .005 FRACTIONS ± 1/8
.X ± .01 ANGLES ±.5°
.X ± .1 SPEC 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R
2. DIMENSIONAL LIMITS APPLY AFTER PLATING USED ON MODEL SCALE 12/1/1995 SHEET 2 OF 3 1:2

(20NR-04-1)


SOLENOID


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

		REVISIONS			
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
- 1	14-0206	20NR-04-3 ADDED SPACER.	11/4/2014	DPD	JAG



(.020)





(20NR-04-3)

**SPACER** 

	ART	,				
SOL	ENOID					
DWG NO. 201	VR-04-3		REV 6			
MAT'L PETG	DRAWN BY:	CLOUGH				
UNLESS OTHERWISE SPECIFIE DIMENSIONS ARE IN INCHES		D Wei	2			
.XXX ± .005 FRACTIONS ± 1/8	HEAT					
.XX ± .01 ANGLES ±.5°	FINDOLL					
1. BREAK ALL SHARP EDGES .015 x 45°						
OR .015R	U:	SED ON MODEL				
2. DIMENSIONAL LIMITS APPLY AFTI PLATING	ER					
SCALE 1.1 DATE	10/30/2012	SHEET 3 OF	- 3			